

## TEST REPORT (시험 성적서)

신청기관 (인) : 주식회사 더올팜  
APPLICANT : THE ALLFARM Co.,Ltd

주소 (한글) : 서울 강서구 마곡중앙2로 5 913호  
ADDRESS (ENGL.) : 5, Magokjungang 2-ro, Gangseo-gu, Seoul, Republic of Korea

발행면수 (PAGE) : 1 of 2  
발행일자 (DATE) : 2021. 04. 16.

시험성적서 번호 (REPORT NO.) : RT21C-S0487-K

시료 명세 : 시료에 대한 상세한 정보는 아래와 같음  
(SAMPLE DESCRIPTION) (The following submitted sample(s) said to be)

제품명/형식 : 닥터올 바이오 스칼프 부스터  
(NAME/TYPE OF PRODUCT) (Dr.all bio scalp booster)

재질 : 액체  
(NAME OF MATERIAL) (Liquid)

시료고유번호 : RT21C-S0487  
(SAMPLE ID NO.) (RT21C-S0487)

제조번호 : Cp233  
(LOT NUMBER) (Cp233)

제조일자 : -  
(MANUFACTURED DATE) (-)

유통기한 : 2023. 09.22  
(EXPIRATION DATE) (Sep. 22, 2023)

시료접수일자 : 2021. 04. 12.  
(SAMPLE RECEIVED) (Apr. 12, 2021)

시험일자 : 2021. 04. 12. ~ 2021. 04. 16.  
(TESTING DATE) (Apr. 12, 2021 ~ Apr. 16, 2021)

시험방법 : 이 시험성적서의 다음 페이지 첨부  
(TEST METHOD) (Please see the following page)

시험결과 : 이 시험성적서의 다음 페이지 첨부  
(TEST RESULT) (Please see the following page)

- 비고 (Notes):
1. 이 시험성적서는 제시된 시료 및 시료명으로 시험한 결과로서 유사 대상시료에 적용할 수 없음.  
(The test results presented in this report refer only to the object tested.)
  2. 이 시험성적서는 승인없이 복사 사용을 금함.  
(This report shall not be reproduced except in full without the written approval of the testing laboratory.)
  3. 이 시험성적서의 제조번호, 제조일자, 유통기한은 고객의 요청 및 보증서에 의거하여 명기함.  
(The Lot Number, Manufactured Date, Expiration Date is assigned by client and indicated according to their requirement and guarantee letter.)

승인자 (Approved by)



장준용/기술책임자  
(Jade Jang / Lab. Technical Manager)

권한자 (Authorized by)



박병옥/소장  
(Bo Park / Lab. General Manager)



Authenticity check

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9550 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT (시험 성적서)

발행면수 (PAGE) : 2 of 3

발행일자 (DATE) : 2021. 04. 16.

시험성적서 번호 (REPORT NO.) : RT21C-S0487-K

시료고유번호 (SAMPLE ID NO.) : RT21C-S048

시료명 (SAMPLE DESCRIPTION) : 닥터올 바이오 스칼프 부스터  
(Dr.all bio scalp booster)

시험항목 (TEST ITEM)	단위 (UNIT)	분석방법 (TEST METHOD)	검출한계 (MDL)	시험결과 (RESULT)
에틸파라벤 (Ethylparaben)	%	With reference to In-house method and determined by HPLC/DAD	0.002	N.D.
이소프로필파라벤 (Isopropylparaben)	%		0.002	N.D.
프로필파라벤 (Propylparaben)	%		0.002	N.D.
이소부틸파라벤 (Isobutylparaben)	%		0.002	N.D.
부틸파라벤 (Butylparaben)	%		0.002	N.D.
메틸파라벤 (Methylparaben)	%		0.002	N.D.
p-하이드록시벤조익애씨드 (P-Hydroxybenzoic Acid)	%		0.002	N.D.
페녹시에탄올 (Phenoxyethanol)	%		0.002	N.D.
벤조페논-3 (Benzophenone-3)	%		0.002	N.D.
벤질알코올 (Benzyl alcohol)	%		0.002	N.D.
에틸헥실메톡시신나메이트 (Ethylhexyl Methoxycinnamate)	%		0.002	N.D.

Notes : 1 % (w/w) = 10000 ppm = 10000 mg/kg (함량 표시 : 백만분의 일)

< = Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 – 검출한계 이하)


MDL = Method detection limit (검출한계)

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9550 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT (시험 성적서)

발행면수 (PAGE) : 3 of 3

발행일자 (DATE) : 2021. 04. 16.

시험성적서 번호 (REPORT NO.) : RT21C-S0487-K

시료고유번호 (SAMPLE ID NO.) : RT21C-S048

시료명 (SAMPLE DESCRIPTION) : 닥터올 바이오 스칼프 부스터  
(Dr.all bio scalp booster)

시험항목 (TEST ITEM)	단위 (UNIT)	분석방법 (TEST METHOD)	검출한계 (MDL)	시험결과 (RESULT)
트리에탄올아민 (Triethanolamine)	%	With reference to In-house method and determined by GC/MS	0.05	N.D.
사이클로테트라실록산 (Octamethyl-Cyclotetrasiloxane)	%		0.02	N.D.
사이클로펜타실록산 (Decamethyl-Cyclopentasiloxane)	%		0.02	N.D.
사이클로헥사실록산 (Dodecamethyl-Cyclohexasiloxane)	%		0.02	N.D.
메칠이소치아졸리논 (Methylisothiazolinone)	µg/g	With reference to In-house method and determined by HPLC/DAD	1	N.D.
메칠클로로이소치아졸리논 (Methylchloroisothiazolinon)	µg/g		1	N.D.
트리클로산 (Triclosan)	%		0.02	N.D.

Notes : µg/g = ppm = parts per million (함량 표시 : 백만분의 일)

1 % (w/w) = 10000 ppm = 10000 mg/kg

< = Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 – 검출한계 이하)

MDL = Method detection limit (검출한계)

\*\*\*\*\* End of Report \*\*\*\*\*

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

This report is not related to the scope of Korea laboratory accreditation scheme.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9550 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

Ulsan Lab. Address : 34, Yongam-gil, Chongryang-myeon, Ulju-gun, Ulsan 44989 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.