

TEST REPORT

Report No: HM-210914-IR0040-CD-33 Receipt Date: 23th August 2021
Client: mille de fleur co., Ltd Test Completion Date: 16th September 2021
Representative: Yuyeon kim
Address: n047 602 Yeongdong-daero Gangnam-gu Seoul
Sample: Etoile moist calming serum

Test Result			
Test Item	Inspection Standard	Result	Irritation Evaluation
By skin patch Primary irritation test	*Remark	0.00	No irritation
Test Methods: After wiping the subject's test area with 70% ethanol and drying it, load 20 µl of the test product in IQ Ultimate and attach it on the skin for 24 hours. The dermatologist assessed whether skin irritation was present at 30 minutes and 24 hours after patch removal.			

- Reference report: HM-210914-IR0040-33

- Remark:

Skin Irritation Index	Irritation Evaluation
0.00 ~ 0.25	No irritation
0.26 ~ 1.00	Mild irritation
1.01 ~ 2.50	Moderate irritation
2.51 ~ 4.00	Strong irritation

Study Director : Wonkyu Hong (Dermatologist)



6th October 2021

Human Co., Ltd. Skin Clinical Trial Center President



1005~1008, 24, Gasan digital 1-ro, Geumcheon-gu, Seoul, Republic of Korea

www.humantest.co.kr T : +82-70-5222-9663, F : +82-70-7500-9663

